

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 06/10/2022 Supersedes version of: 05/01/2022 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product Product group

- : Mixture
- : PHAGO'SPORE
- : 1226
- : Detergent
- : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category

: Professional uses

Use of the substance/mixture 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet Manufacturer

Christeyns France 31 rue de la Maladrie 44120 VERTOU France T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73 health-security@christeyns.fr - www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB– Bradford BD4 7EA United Kingdom T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43 info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB– WA2 8RE Warrington – Cheshire United Kingdom T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93 <u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

1.4. Emergency telephone number

Distributor

Casoria Company Ltd. Ltd 1 Farnham Street IE– H12 A9K0 Cavan – Co. Cavan Ireland T 00353 49 4361869 - F 00353 49 436 1869 sds@casoria.ie - www.casoria.ie

Distributor

Christeyns Technologies Ltd. Mazars, Block 3, Harcout Centre, Harcourt Road IE– 2 Dublin Ireland T +353 1 8146022

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 Full text of H- and EUH-statements: see section 16

: -

H412

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word

Hazard statements (CLP)

: H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	 P273 - Avoid release to the environment. P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.2 Other hererde	

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3	.2.	Μ	ixt	ur	es	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	3 – 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Acetic acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, LT, LU, LV, MT, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328- 30	1 – 3	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Propan-2-ol substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558- 25	< 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Phosphoric acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, ES, FI, FR, GB, GI, GR, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 7664-38-2 Einecs nr: 231-633-2 EG annex nr: 015-011-00-6 REACH-no: 01-2119485924- 24	< 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
peracetic acid substance with national workplace exposure limit(s) (BE, CZ, FI, IE, PL, PT)	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330- 56	< 1	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10)
ALPHA PINENE substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO, CH)	CAS-no: 80-56-8 Einecs nr: 201-291-9	< 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
LIMONENE substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-no: 5989-27-5 Einecs nr: 227-813-5 EG annex nr: 601-096-00-2 REACH-no: 01-2119529223- 47	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sulphuric acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	< 1	Skin Corr. 1A, H314
CITRAL substance with national workplace exposure limit(s) (BE, ES, IE, PL)	CAS-no: 5392-40-5 Einecs nr: 226-394-6 EG annex nr: 605-019-00-3	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Hydrogen peroxide	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	$(5 \le C < 8)$ Eye Irrit. 2, H319 $(8 \le C < 50)$ Eye Dam. 1, H318 $(35 \le C < 100)$ STOT SE 3, H335 $(35 \le C < 50)$ Skin Irrit. 2, H315 $(50 \le C < 70)$ Skin Corr. 1B, H314 $(50 \le C < 70)$ Ox. Liq. 2, H272 $(63 \le C < 100)$ Aquatic Chronic 3, H412 $(70 \le C < 100)$ Skin Corr. 1A, H314 $(70 \le C < 100)$ Ox. Liq. 1, H271
Acetic acid	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328- 30	(10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314
Phosphoric acid	CAS-no: 7664-38-2 Einecs nr: 231-633-2 EG annex nr: 015-011-00-6 REACH-no: 01-2119485924- 24	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 100) Skin Corr. 1B, H314
peracetic acid	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330- 56	(1 ≤C ≤ 100) STOT SE 3, H335
Sulphuric acid	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	(5 ≤C < 15) Skin Irrit. 2, H315 (5 ≤C < 15) Eye Irrit. 2, H319 (15 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures General advice : In all cases of doubt, or when symptoms persist, seek medical attention. : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable Inhalation for breathing. Skin contact : Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, Acute effects inhalation	both acute and delayed : No data available.
Acute effects skin	: No data available.
Acute effects eyes	: No data available.
Acute effects oral route	: No data available.
4.3. Indication of any immediate medical at Treat symptomatically.	tention and special treatment needed
SECTION 5: Firefighting measures 5.1. Extinguishing media	
Suitable extinguishing media	: In fire case not far from, any kind of extinguisher can be used. Foam. Carbon dioxide. Water. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Combustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.).
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel Protective equipment : Concerning personal protective equipment to use, see section 8. : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid Emergency procedures contact with skin and eyes. Ventilate spillage area. Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. Emergency procedures : Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. 6.2. Environmental precautions Prevent liquid from entering sewers, watercourses, underground or low areas. 6.3. Methods and material for containment and cleaning up

Other information	: Dispose of materials or solid residues at an authorized site.
Methods for cleaning up	: Wash away remainder with plenty of water. Clear up rapidly by scoop or vacuum.
For containment	: Absorb spilled material with sand or earth.

6.4. Reference to other sections For further information refer to section 13.

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Emergency eye showers should be available nearby. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in original container. Store at ambient temperature. Protect from sunlight.
Storage temperature	: 5 – 30 °C
Storage area	: Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

CITRAL (5392-40-5)	
Ireland - Occupational Exposure Limits	
Local name	Citral
OEL TWA [2]	5 ppm IFV (Inhlable Fraction and Vapour)
Regulatory reference	Chemical Agents Code of Practice 2021
Propan-2-ol (67-63-0)	
EU - Indicative Occupational Exposure Limit (IOEI	L)
IOEL STEL	980 mg/m³
IOEL STEL [ppm]	400 ppm
Ireland - Occupational Exposure Limits	
Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA [2]	200 ppm
OEL STEL [ppm]	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA [1]	1.5 mg/m ³
OEL TWA [2]	1 ppm
OEL STEL	3 mg/m ³
OEL STEL [ppm]	2 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA) [1]	1.4 mg/m ³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
WEL STEL (OEL STEL) [ppm]	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
peracetic acid (79-21-0)	
Ireland - Occupational Exposure Limits	
Local name	Peracetic acid
OEL STEL [ppm]	0.4 ppm IFV (Inhlable Fraction and Vapour)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

peracetic acid (79-21-0)		
Regulatory reference	Chemical Agents Code of Practice 2021	
Acetic acid (64-19-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetic acid	
IOEL TWA	25 mg/m ³	
IOEL TWA [ppm]	10 ppm	
IOEL STEL	50 mg/m ³	
IOEL STEL [ppm]	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
Ireland - Occupational Exposure Limits		
Local name	Acetic acid	
OEL TWA [1]	25 mg/m ³	
OEL TWA [2]	10 ppm	
OEL STEL	37 mg/m ³	
OEL STEL [ppm]	15 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits	·	
Local name	Acetic acid	
WEL TWA (OEL TWA) [1]	25 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	
WEL STEL (OEL STEL)	50 mg/m³	
WEL STEL (OEL STEL) [ppm]	20 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sulphuric acid (7664-93-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Sulphuric acid (mist)	
IOEL TWA	0.05 mg/m ³	
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU	
Ireland - Occupational Exposure Limits		
Local name	Sulphuric acid	
OEL TWA [1]	0.05 mg/m³	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Sulphuric acid	
WEL TWA (OEL TWA) [1]	0.05 mg/m³ mist	
Remark	The mist is defined as the thoracic fraction	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Phosphoric acid (7664-38-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Orthophosphoric acid	
IOEL TWA	1 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phosphoric acid (7664-38-2)				
IOEL STEL	2 mg/m ³			
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
United Kingdom - Occupational Exposure Limits				
Local name Orthophosphoric acid				
WEL TWA (OEL TWA) [1]	1 mg/m ³			
WEL STEL (OEL STEL) 2 mg/m ³				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available **8.2. Exposure controls**

8.2. Exposure controls

8.2.1. Appropriate engineering controls No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection: Safety glasses. EN 166

8.2.2.2. Skin protection

Protective equipment:

No special protection required

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrilerubber protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: mint.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Softening point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: > 100

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability	: Not applicable (aqueous liquid)
Explosive properties	: Constituents do not contain chemical groups associated with explosivity.
Explosive limits	: Not available
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: 97.7 °C
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
рН	: 2.1 – 2.3
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 1 mPa.s
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Log Pow	: Not applicable for preparations
Vapour pressure	: Without VOC (volatile organic compounds)
Vapour pressure at 50 °C	: Not available
Density	: 1.005 – 1.02 g/cm³
Relative density	: 1.01 g/cm ³
Relative vapour density at 20 °C	: Without VOC (volatile organic compounds)
Particle characteristics	: Not applicable
9.2. Other information	

9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l/4h
ALPHA PINENE (80-56-8)	
LD50 oral rat	3700 mg/kg
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)					
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h				
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h				
peracetic acid (79-21-0)					
LD50 oral	85 mg/kg bodyweight				
LD50 dermal rabbit	56.1 mg/kg bodyweight				
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h				
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h				
Acetic acid (64-19-7)					
LD50 oral	3310 mg/kg bodyweight				
LC50 Inhalation - Rat (Vapours)	> 40000 mg/l/4h				
Sulphuric acid (7664-93-9)					
LD50 oral	2140 mg/kg bodyweight				
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l				
Phosphoric acid (7664-38-2)					
LD50 oral rat	> 300 mg/kg bodyweight				
LD50 dermal	2740 mg/kg bodyweight				
LC50 Inhalation - Rat	850 mg/l				
Skin corrosion/irritation	: Not classified				
	pH: 2.1 – 2.3				
Acetic acid (64-19-7)					
pH	2.5				
Serious eye damage/irritation	: Not classified pH: 2.1 – 2.3				
Acetic acid (64-19-7)					
	2.5				
Respiratory or skin sensitisation	: Not classified				
Germ cell mutagenicity	: Not classified				
Carcinogenicity	: Not classified				
LIMONENE (5989-27-5)					
IARC group	3 - Not classifiable				
Propan-2-ol (67-63-0)					
IARC group	3 - Not classifiable				
Hydrogen peroxide (7722-84-1)					
IARC group	3 - Not classifiable				
Reproductive toxicity	: Not classified				
STOT-single exposure	: Not classified				
Propan-2-ol (67-63-0)					
STOT-single exposure	May cause drowsiness or dizziness.				
Hydrogen peroxide (7722-84-1)					
STOT-single exposure	May cause respiratory irritation.				
STOT-repeated exposure	: Not classified				
Phosphoric acid (7664-38-2)					
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard	: Not classified			
peracetic acid (79-21-0)				
Viscosity, kinematic	1.5 mm²/s (20°C)			
Phosphoric acid (7664-38-2)				
Viscosity, kinematic	15.2 mm²/s @ 20°C			
11.2. Information on other hazards No additional information available				
SECTION 12: Ecological information 12.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.			
Hazardous to the aquatic environment, short-term (acute)	: Not classified			
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.			
LIMONENE (5989-27-5)				
LC50 - Fish [1]	0.8 mg/l			
EC50 - Crustacea [1]	69.6 mg/l			
Propan-2-ol (67-63-0)				
LC50 - Fish [1]	9640 mg/l			
EC50 - Crustacea [1]	9714 mg/l			
EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus subspicatus)			
ALPHA PINENE (80-56-8)				
LC50 - Fish [1]	0.28 mg/l			
EC50 - Crustacea [1]	0.475 mg/l			
Hydrogen peroxide (7722-84-1)				
LC50 - Fish [1]	16.4 mg/l			
EC50 - Crustacea [1]	2.4 mg/l			
EC50 72h - Algae [1]	2.62 mg/l			
ErC50 algae	1.38 mg/l			
NOEC chronic crustacea	0.63 mg/l			
peracetic acid (79-21-0)				
NOEC (chronic)	0.0121 mg/l			
Acetic acid (64-19-7)				
LC50 - Fish [1]	> 1000 mg/l			
EC50 - Crustacea [1]	> 300 mg/l			
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea			
ErC50 algae	> 300 mg/l			
Sulphuric acid (7664-93-9)				
LC50 - Fish [1]	> 16 mg/l			
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea			
EC50 - Other aquatic organisms [2]	> 100 mg/l			
Phosphoric acid (7664-38-2)				
LC50 - Fish [1]	3 – 3.25 mg/l			
EC50 - Crustacea [1] > 100 mg/l				
EC50 - Other aquatic organisms [1]	> 100 mg/l			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phoenhoric soid (7664 20.0)	
Phosphoric acid (7664-38-2)	
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic algae	100 mg/l
12.2. Persistence and degradability PHAGO'SPORE	
	The surfactor (a) contained in this procession correlian(corrects) with the binde are debility
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Propan-2-ol (67-63-0)	
Persistence and degradability	Biodegradable.
Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradable.
peracetic acid (79-21-0)	
Persistence and degradability	Biodegradable. OECD 301E method (Ready biodegradability: Modified OECD Screening Test).
Acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
PHAGO'SPORE	
Log Pow	Not applicable for preparations
Bioaccumulative potential	No data available.
ALPHA PINENE (80-56-8)	
Log Pow	4.487
Hydrogen peroxide (7722-84-1)	
Log Pow	-1.6
Bioaccumulative potential	No bioaccumulation.
peracetic acid (79-21-0)	
Partition coefficient n-octanol/water (Log Kow)	-0.26 (20°C)
Bioaccumulative potential	Not established.
Acetic acid (64-19-7)	
Log Pow	-0.2
Bioaccumulative potential	No bioaccumulation.
Sulphuric acid (7664-93-9)	
Log Pow	-2.2
Phosphoric acid (7664-38-2)	
Log Pow	-0.77
12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available	
12.6. Endocrine disrupting properties No additional information available 12.7. Other adverse effects No additional information available	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of in accordance with relevant local regulations.
Waste / unused products	: Do not discharge into drains or the environment.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ				
14.1. UN number or ID number						
Not regulated	Not regulated	Not regulated				
14.2. UN proper shipping name						
Not regulated	Not regulated	Not regulated				
14.3. Transport hazard class(es)						
Not regulated	Not regulated Not regulated Not regulated					
14.4. Packing group						
Not regulated Not regulated Not regulated						
14.5. Environmental hazards						
Not regulated Not regulated Not regulated						
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations CESIO recommendations

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Other information, restriction and prohibition regulations

: No REACH Annex XVII restrictions.

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants, Oxygen-based bleaching agents	<5%
perfumes	

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 10	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

peracetic acid

SECTION 16: Other information

Indication of changes

Section	Changed item	Change		Comments	
	Regulatory framework		Modified		
Data sources		COUNCIL of 16 Dec and mixtures, amen	cember 2008 on classifi	EUROPEAN PARLIAMENT AND OF THE cation, labelling and packaging of substances ctives 67/548/EEC and 1999/45/EC, and	
Other information		 It is recommended to pass the information of this safety data sheet in an appropriate for to the users. Such information is actually the best of our knowledge and believes accura as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet. 			

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
Safety Data Sheet (SDS) F	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.